

# NT 35/1 Tact M

Handy, commercial wet/dry vacuum cleaner with innovative, patented, auto filter cleaning system - TACT - and completely equipped with accessory. With stepless speed control, tele-electronic socket with On-/Off-automatic for power tools. These versions accord to all European standards and therefore they are qualified and licensed for suction of harmful dusts of dust class M.

**Order no.: 1.184-807.0**



## Technical data

Air flow rate (l/s)	61
Vacuum (mbar/kPa)	230/23
Container capacity (l)	35
Max. intake performance (W)	up to 1380
Standard nominal width (mm)	35
Length of cord access. (m)	7.5
Sound pressure level (dB(A))	64
Weight (kg)	13
Dimensions (L x W x H) (mm)	520x380x580

## Details

### Description

The powerful and extremely robust wet/dry vacuum cleaner are equipped with a world-wide unique, highly efficient, automatic filter cleaning device which allows the pick-up of huge fine dust quantities with constantly high suction performance without interruption of work. The safety vacuum cleaner is equipped with the antistatic-system (grounded until suction hose connector) and electrically conductive accessory. Through the grounded connection port electrostatic charge will securely be deduced. The charge of the accessories through friction of dust inside the hose and the therewith combined sparking can thus safely be avoided with an electronically leading suction hose. The whole machine, including accessory, is equipped for dust class M. Also applicable as wet vacuum cleaner for the absorption of liquids.

---

### Application

The main target groups are building craft (joiner, cabinet maker), the automotive sector (garages, body varnishing), restoration, as well as several industry sectors like chemical, food, pharmaceutical and plastic industry.

---

## Accessories

### Adapter (tube -> nozzle)

#### Adapter DN 35 - 40 (tube -> nozzle)

From DN 35 to 40, plastic

Order no. 6.902-084.0



### Adapter for electric power tools, clip on, EL (electroconductive)

#### Adapter for electric power tools, C 35, el.

Plastic, adjustable from DN 26-36 (Te / Eco M / H), EL. Only WD vacuums

Order no. 5.453-042.0



#### Adapter for electric power tools, C 35, el.

Inner Ø 25.4 mm / outer Ø 34.6 mm / 38 mm EL. Only WD vacuums

Order no. 5.453-048.0



#### Connecting sleeve, electric tool C 35, el.

Inner Ø 28.6 mm / outer Ø 37.3 mm / 38.8 mm EL Only WD vacuums

Order no. 5.453-049.0



#### Adapter for electric power tools, C 35, el.

Inner Ø 27 mm / outer Ø 36.5 mm / 38.8 mm EL. Only WD vacuums

Order no. 5.453-050.0



## Adapter for electric power tools, clip on, EL (electroconductive)

### Connecting sleeve, electric tool C 35, el.

Inner Ø 32 mm / outer Ø 39 mm EL Only WD vacuums

Order no. 5.453-051.0



### Connecting sleeve, electric tool C 35, el.

Inner Ø 28 mm / outer Ø 34 mm / 38.8 mm EL Only WD vacuums

Order no. 5.453-052.0



## Adapter for electric power tools, screwable

### Adapter for electric power tools, screwable

Plastic , adaptable from DN 26-36

Order no. 2.639-129.0



### Adapter for electric power tools, screwable 35

Inner Ø 28.6 mm / outer Ø 37.3/38.8 mm, EL

Order no. 5.453-026.0



### Adapter for electric power tools, screwable 35

Inner Ø 32 mm / outer Ø 39 mm

Order no. 6.902-059.0



## Adapter for electric power tools, screwable

### Adapter for electric power tools, screwable 35

Inner Ø 28 mm / outer Ø 34/38.8 mm, EL

Order no. 6.902-095.0



## All-purpose brushes

### All-purpose brush, DN 35

Natural bristles (ox hair), bristle element 120 x 45 mm

Order no. 6.903-863.0



## All-purpose nozzles (wet/dry)

### Wet & dry floor nozzle DN 35

Plastic with rollers, brush strips (6.903-278) and rubber lips (6.903-277)

Order no. 6.906-512.0



### All-purpose nozzle (wet/dry)

Aluminium with height-adjustable rollers with brush strips (6.903-064) and rubber lips (6.903-081, oil resistant).

Order no. 6.903-018.0



### All-purpose tool (wet/dry)

Aluminium with height-adjustable rollers, brush strips (6.903-065) and rubber lips (6.906-146)

Order no. 6.906-383.0



## All-purpose nozzles (wet/dry)

### All-purpose nozzle (wet/dry)

Aluminium with height-adjustable rollers, brush strips (6.903-064) and rubber lips (6.903-081)

Order no. 6.906-384.0



### All-purpose nozzle (wet/dry)

Plastic with rollers, brush strips (6.905-878) and rubber lips (6.905-877)

Order no. 6.906-513.0



### All-purpose nozzle (wet/dry)

Plastic with rollers, brush strips (6.905-878.0) and rubber lips (6.905-877.0)

Order no. 6.906-554.0



## Bend plastic

### Plastic bend

Plastic DN 35 with C-35 clip system, electroconductive

Order no. 5.031-939.0



### Bend, plastic, C-DN 32

Plastic with C-32 clip system

Order no. 4.408-051.0



## Bend plastic

### Plastic bend

Plastic with C-40 clip system

Order no. 5.031-904.0



### Plastic bend

Plastic with C-40 clip system, electroconductive

Order no. 5.032-427.0



## Bend stainless

### Bends

Stainless steel

Order no. 6.902-079.0



### Bends

Stainless steel

Order no. 6.903-141.0



## Car cleaning nozzles

### Car vacuuming nozzle

Plastic

Order no. 6.900-952.0



## Car cleaning nozzles

### Car cleaning nozzle, DN 35

Plastic

Order no. 6.906-108.0



## Combi-nozzles (dry)

### Combi-nozzle (dry), DN 35

Plastic with stainless steel soleplate, switchable, with IC 35 inside cone

Order no. 6.906-511.0



### Combination nozzle packaged DN35

Plastic, with stainless steel soleplate and rollers, switchable

Order no. 6.906-874.0



## Connecting sleeve C-DN (clip on taper), EL (electroconductive)

### Connecting sleeve C-ID (clip on taper) (electrically conductive)

Connects C 40 hose for DN 35 EL accessories

Order no. 5.407-109.0



### Connecting sleeve C-ID (clip on taper) (electrically conductive)

Connects C 40 hose for DN 40 EL accessories

Order no. 5.407-111.0





## Connecting sleeve C-DN (clip on taper), EL (electroconductive)

### Connecting sleeve C-ID (clip on taper) (electrically conductive)

Connects C 35 hose for DN 35 EL accessories

Order no. 5.407-112.0



## Connecting sleeves

### Connecting sleeve

For connecting 2 suction hoses, thread on both sides

Order no. 6.900-286.0



### Connecting sleeve

For connecting 2 suction hoses (not ESB 28)

Order no. 6.902-077.0



## Crevice nozzles

### Grout nozzle

Plastic

Order no. 6.900-385.0



### Grout nozzle

Metal

Order no. 6.900-922.0



## Crevice nozzles

### Grout nozzle

Plastic

Order no. 6.903-033.0



### Grout nozzle

Metal

Order no. 6.905-817.0



### Crevice nozzle DN 35

Plastic

Order no. 6.906-240.0



## Diaphragm filter/ fabric filter

### Diaphragm filter / fabric filter

Polyester needled fleece, washable (40 °C)

Order no. 6.904-212.0



## Extension hoses (Clip-system)

### Extension hose C 32 - C 35, el., clip system

for all C-32 and C-35 hoses, electroconductive

Order no. 6.906-277.0



---

## Flat pleated filter (paper)

### Flat pleated filter, packed - dust class M

Paper, dust class M approved

Order no. 6.904-367.0



---

## Flat pleated filter (PES)

### Flat pleated filters (PES)

Polyester fleece material, special coated, rot-proof, BIA-C dust class M approved

Order no. 6.904-360.0



---

## Fleece filter bags (3 ply)

### Fleece filter bags NT 361 Eco + variants, 5 pcs.

Fleece filter bag, 3-ply, tear-resistant, dust class M / for dry applications

Order no. 6.904-351.0



---

## HEPA filter for dust class H

### HEPA flat filter

HEPA surface filter, dust class H (H 14)

Order no. 6.904-242.0



## Miscellaneous

### Extension cable

20 meter.

Order no. 6.647-022.0



## Nozzle sets

### Nozzle set

Crevice tool, upholstery tool, round brush

Order no. 2.860-116.0



## Paper filter (2 ply)

### Paper filter bags, 5 pcs

BIA-C, dust class M approved

Order no. 6.904-210.0



### Paper filter bags, 300 pcs

BIA-C dust class M approved / large-scale consumer pack

Order no. 6.904-224.0



### Paper filter bags NT 351 Eco + professional 300 pcs.

BIA-C, dust class M approved / large-scale consumer pack

Order no. 6.904-175.0



## Paper filter (2 ply)

### Paper filter bags

BIA-C, dust class M approved, reinforced outer ply, for cement dust, etc.

Order no. 6.904-259.0



## Pipe dusting nozzles

### Pipe dusting nozzle

Plastic, pipe diameter 100 mm

Order no. 6.903-035.0



### Pipe dusting nozzle

Plastic, pipe diameter 200 mm

Order no. 6.903-036.0



## Radiator brushes

### Radiator brush

Plastic, for crevice nozzle 6.900-385

Order no. 6.903-034.0



## Reducer (tube -> nozzle)

### Reducers (tube DN40-> nozzle)

From DN 40 to 35, plastic

Order no. 6.902-017.0



## Reducer (tube -> nozzle)

### Reducer (tube -> nozzle)

From DN 35 to 32, metal

Order no. 6.902-072.0



## Reducing sleeve

### Reducer

From C-40 hose to adapter, screwable DN 35

Order no. 5.407-108.0



### Reducing sleeve

Reducing sleeve, from C-40 to C-35

Order no. 5.407-113.0



## Repair kits

### Repair kit, C 35

Repair kit suction hose (clip system)

Order no. 2.639-682.0



## Rubber suction tools, nose 45°

### Rubber suction nozzle, 45° nose

For suction of machines, oil-resistant

Order no. 6.902-104.0



## Rubber suction tools, nose 45°

### Rubber suction nozzle, 45° nose

For suction of machines, oil-resistant

Order no. 6.902-105.0



## Set reducing / extension sleeves

### Set reducing/ extension sleeves

ID 40/35, ID 35/32 (tube -> nozzle), plastic

Order no. 2.860-117.0



## Special filter bags, wet filter bags

### Special filter bags, wet filter bags

Approved for dust class L, general cleaning, wet and dry, tear-resistant

Order no. 6.904-171.0



## Suction brushes

### Suction brushes

Natural bristles (cattle hair), pivotable

Order no. 6.903-862.0



## Suction hoses (Clip-system)

### Suction hose C-35, el.

With bayonet and clip connection. electrically conductive

Order no. 6.906-275.0



### Suction hose C-35, el.

With bayonet and clip connection. electrically conductive

Order no. 6.906-500.0



### Suction hose (clip system)

With bayonet and clip connection

Order no. 6.906-546.0



## Suction hoses complete

### Suction hose, DN 35, el. cpl.

Electrically conductive

Order no. 4.440-350.0



### Suction hose, complete

Electrically conductive

Order no. 4.440-391.0





## Suction hoses complete

### Suction hose, DN 27, el. complete

Connector for electric tools / electrically conductive

Order no. 4.440-462.0



## Suction hoses complete (Clip-system)

### Suction hose, C DN 35

With bend, electrically conductive

Order no. 4.440-653.0



## Suction tubes metal

### Suction tubes

Metal

Order no. 6.900-514.0



### Suction tubes

Metal

Order no. 6.900-275.0



## Suction tubes stainless

### Suction tubes

Stainless steel

Order no. 6.902-046.0



## Suction tubes stainless

### Suction tubes

Stainless steel

Order no. 6.902-081.0



### Suction tubes

Stainless steel

Order no. 6.906-531.0



## Turbo nozzle

### Turbo nozzle

Upholstery nozzle, plastic with reducer ID 35/32

Order no. 2.860-113.0



### Turbo nozzle

Floor nozzle, plastic, with reducing sleeve 35/32

Order no. 2.860-114.0



## UBS non-conductive media

### UBS non-conductive media

For switching off when vacuuming non-conductive fluids such as oils and greases

Order no. 2.882-517.0

