

## NT 35/1 Tact Te

The NT 35/1 Tact Te is a handy and strong wet/dry vacuum cleaner for commercial applications. It is equipped with the innovative and patented TACT-System for fully automated filter cleaning. The NT 35/1 Tact Te is equipped with a socket and automatic start/stop. With this function the vacuum cleaner can be telecontrolled by a connected power tool. In addition this version provides a stepless adjustment of the motor revolutions. The NT 35/1 Tact Te provides full accessory that can easily be retained in the integrated accessory storage.

### Standard accessories:

- Suction hose 2.5 m
- Metal suction tube
- 2 x 0.5 m
- Filter bag Paper
- Wet and dry floor tool 300 mm
- Crevice tool
- Connector for electric tools
- Auto shutdown when max. level is reached
- Automatic on/ off control for electric power tools
- Antistatic system
- Eco filter system
- Flat pleated filter Paper
- Safety class I
- Caster with brake
- TACT Filter Clean
- Maintenance -free suction fans 1 piece



**Order no.: 1.184-806.0**

### Technical data

Air flow rate (l/s)	61
Vacuum (mbar/kPa)	230/23
Container capacity (l)	35
Max. intake performance (W)	1380
Standard nominal width (mm)	35
Length of cord access. (m)	7.5
Sound pressure level (dB(A))	64
Container material	Plastic
Frequency (Hz)	50-60
Voltage (V)	220-240
Weight (kg)	12.5
Dimensions (L x W x H) (mm)	520x380x580

# NT 35/1 Tact Te

## Details

### Description

Main feature of the compact and powerful NT 35/1 Tact Te is the unique and very effective system for fully automated filter cleaning - TACT. With the NT 35/1 Tact Te it is possible to pick-up even highest amounts of fine dust with constantly high airflow. The NT 35/1 Tact Te provides a socket and automatic start/stop for power tools. So it is possible to switch the vacuum cleaner on and off by starting and stopping the power tool. Furthermore the motor speed can be adjusted without any steps. The NT 35/1 Tact Te can also be used as a wet vacuum cleaner for picking up liquids. An electronical control cuts off the machine when reaching the maximum level. This wet/dry vacuum cleaner is fully equipped with accessory - and therefore ready-to-use.

---

### Application

Main target groups for this machine range are particularly joiners, electric fitters, the construction main/side trades, parquet recliners, the entire automotive sector as well as areas that work closely together with the industry.

---

### Features & Benefits

- Antistatic-system and automatic on/off control for power tools -Variable speed control enables the suction power setting to be adjusted - Constant high suction power with the fully automatic TACT filter cleaning system. - Innovative flat pleated filter system. - On-/off switch for TACT system with LED display. - Kärcher clip-system for easy removal of suction hose. - Integrated accessory holder. - Suction hose and power cord can be stored on the turbine head. - Large recessed flat tray on top of the unit for holding tools and accessories.

---

## Accessories

### Adapter (tube -> nozzle)

#### Adapter DN 35 - 40 (tube -> nozzle)

From DN 35 to 40, plastic

Order no. 6.902-084.0



### Adapter for electric power tools, clip on, EL (electroconductive)

#### Adapter for electric power tools, C 35, el.

Plastic, adjustable from DN 26-36 (Te / Eco M / H), EL. Only WD vacuums

Order no. 5.453-042.0



#### Adapter for electric power tools, C 35, el.

Inner Ø 25.4 mm / outer Ø 34.6 mm / 38 mm EL. Only WD vacuums

Order no. 5.453-048.0



#### Connecting sleeve, electric tool C 35, el.

Inner Ø 28.6 mm / outer Ø 37.3 mm / 38.8 mm EL Only WD vacuums

Order no. 5.453-049.0



#### Adapter for electric power tools, C 35, el.

Inner Ø 27 mm / outer Ø 36.5 mm / 38.8 mm EL. Only WD vacuums

Order no. 5.453-050.0



## NT 35/1 Tact Te

### Adapter for electric power tools, clip on, EL (electroconductive)

#### Connecting sleeve, electric tool C 35, el.

Inner Ø 32 mm / outer Ø 39 mm EL Only WD vacuums

Order no. 5.453-051.0



#### Connecting sleeve, electric tool C 35, el.

Inner Ø 28 mm / outer Ø 34 mm / 38.8 mm EL Only WD vacuums

Order no. 5.453-052.0



### Adapter for electric power tools, screwable

#### Adapter for electric power tools, screwable

Plastic, adaptable from DN 26-36

Order no. 2.639-129.0



#### Adapter for electric power tools, screwable 35

Plastic, suitable for DN 26-36, EL

Order no. 5.453-016.0



#### Adapter for electric power tools, screwable 35

Inner Ø 28.6 mm / outer Ø 37.3/38.8 mm, EL

Order no. 5.453-026.0



## NT 35/1 Tact Te

### Adapter for electric power tools, screwable

#### Adapter for electric power tools, screwable 35

Inner Ø 32 mm / outer Ø 39 mm

Order no. 6.902-059.0



#### Adapter for electric power tools, screwable 35

Inner Ø 28 mm / outer Ø 34/38.8 mm, EL

Order no. 6.902-095.0



### All-purpose brushes

#### All-purpose brush, DN 35

Natural bristles (ox hair), bristle element 120 x 45 mm

Order no. 6.903-863.0



### All-purpose nozzles (wet/dry)

#### Wet & dry floor nozzle DN 35

Plastic with rollers, brush strips (6.903-278) and rubber lips (6.903-277)

Order no. 6.906-512.0



#### All-purpose nozzle (wet/dry)

Aluminium with height-adjustable rollers with brush strips (6.903-064) and rubber lips (6.903-081, oil resistant).

Order no. 6.903-018.0



## All-purpose nozzles (wet/dry)

### All-purpose tool (wet/dry)

Aluminium with height-adjustable rollers, brush strips (6.903-065) and rubber lips (6.906-146)

Order no. 6.906-383.0



### All-purpose nozzle (wet/dry)

Aluminium with height-adjustable rollers, brush strips (6.903-064) and rubber lips (6.903-081)

Order no. 6.906-384.0



### All-purpose nozzle (wet/dry)

Plastic with rollers, brush strips (6.905-878) and rubber lips (6.905-877)

Order no. 6.906-513.0



### All-purpose nozzle (wet/dry)

Plastic with rollers, brush strips (6.905-878.0) and rubber lips (6.905-877.0)

Order no. 6.906-554.0



## Bend metal

### Bends

Metal

Order no. 6.900-276.0



## Bend metal

### Bends

Metal

Order no. 6.900-519.0



## Bend plastic

### Plastic bend

Plastic with C-35 clip system

Order no. 5.031-718.0



### Plastic bend

Plastic with C-40 clip system

Order no. 5.031-904.0



### Plastic bend

Plastic DN 35 with C-35 clip system, electroconductive

Order no. 5.031-939.0



### Plastic bend

Plastic with C-40 clip system, electroconductive

Order no. 5.032-427.0



## Bend stainless

### Bends

Stainless steel

Order no. 6.902-079.0



### Bends

Stainless steel

Order no. 6.903-141.0



## Coarse filter for wet pickup

### Coarse dirt filter for wet pickup

perforated metal plate, recommended for wet applications only

Order no. 6.904-287.0



## Combi-nozzles (dry)

### Combi-nozzle (dry), DN 35

Plastic with stainless steel soleplate, switchable, with IC 35 inside cone

Order no. 6.906-511.0



### Combination nozzles (dry), DN 35

Plastic with stainless steel soleplate, chageover Only CV and NT vacuum cleaners

Order no. 6.906-639.0





## NT 35/1 Tact Te

### Combi-nozzles (dry)

#### Combination nozzle packaged DN35

Plastic, with stainless steel soleplate and rollers, switchable

Order no. 6.906-874.0



### Connecting sleeve C-DN (clip on taper), EL (electroconductive)

#### Connecting sleeve C-ID (clip on taper) (electrically conductive)

Connects C 40 hose for DN 35 EL accessories

Order no. 5.407-109.0



#### Connecting sleeve C-ID (clip on taper) (electrically conductive)

Connects C 40 hose for DN 40 EL accessories

Order no. 5.407-111.0



#### Connecting sleeve C-ID (clip on taper) (electrically conductive)

Connects C 35 hose for DN 35 EL accessories

Order no. 5.407-112.0



### Connecting sleeves

#### Connecting sleeve

For connecting 2 suction hoses, thread on both sides

Order no. 6.900-286.0



## Connecting sleeves

### Connecting sleeve

For connecting 2 suction hoses (not ESB 28)

Order no. 6.902-077.0



### Connecting sleeve

For connecting 2 suction hoses, thread on both sides

Order no. 6.902-078.0



## Diaphragm filter/ fabric filter

### Diaphragm filter / fabric filter

Polyester needled fleece, washable (40 °C)

Order no. 6.904-212.0



## Extension hoses (Clip-system)

### Extension hose C 32 - C 35 - clip system

for all C-32 and C-35 hoses

Order no. 6.906-237.0



### Extension hose C 32 - C 35, el., clip system

for all C-32 and C-35 hoses, electroconductive

Order no. 6.906-277.0



## Flat pleated filter (paper)

### Flat pleated filter, packed - dust class M

Paper, dust class M approved

Order no. 6.904-367.0



## Flat pleated filter (PES)

### Flat pleated filters (PES)

Polyester fleece material, special coated, rot-proof, BIA-C dust class M approved

Order no. 6.904-360.0



## Fleece filter bags (3 ply)

### Fleece filter bags NT 361 Eco + variants, 5 pcs.

Fleece filter bag, 3-ply, tear-resistant, dust class M / for dry applications

Order no. 6.904-351.0



## HEPA filter for dust class H

### HEPA flat filter

HEPA surface filter, dust class H (H 14)

Order no. 6.904-242.0



## Inaktiv

### Auto kit

Component parts of kit: 4m suction hose (4.440-263) - car cleaning tool (6.900-952) - upholstery tool ID 35 (6.900-233) - reducer ID 40/35 (6.902-017)

**Order no. 2.637-443.0**



## Miscellaneous

### Extension cable

20 meter.

**Order no. 6.647-022.0**



## Nozzle sets

### Nozzle set

Crevice tool, upholstery tool, round brush

**Order no. 2.860-116.0**



## Paper filter (2 ply)

### Paper filter bags, 5 pcs

BIA-C, dust class M approved

**Order no. 6.904-210.0**



### Paper filter bags, 300 pcs

BIA-C dust class M approved / large-scale consumer pack

**Order no. 6.904-224.0**



## Paper filter (2 ply)

### Paper filter bags

BIA-C, dust class M approved, reinforced outer ply, for cement dust, etc.

Order no. 6.904-259.0



## Plastic sacks for dust-free disposal

### Plastic sacks for dust-free disposal

PE plastic sack

Order no. 6.596-886.0



## Reducer (tube -> nozzle)

### Reducers (tube DN40-> nozzle)

From DN 40 to 35, plastic

Order no. 6.902-017.0



### Reducer (tube -> nozzle)

From DN 35 to 32, metal

Order no. 6.902-072.0



## Reducing sleeve

### Reducer

From C-40 hose to adapter, screwable DN 35

Order no. 5.407-108.0



## Repair kits

### Repair kit, C 35

Repair kit suction hose (clip system)

Order no. 2.639-682.0



## Rubber suction tools, nose 45°

### Rubber suction nozzle, 45° nose

For suction of machines, oil-resistant

Order no. 6.902-104.0



### Rubber suction nozzle, 45° nose

For suction of machines, oil-resistant

Order no. 6.902-105.0



## Set reducing / extension sleeves

### Set reducing/ extension sleeves

ID 40/35, ID 35/32 (tube -> nozzle), plastic

Order no. 2.860-117.0



## Special filter bags, wet filter bags

### Special filter bags, wet filter bags

Approved for dust class L, general cleaning, wet and dry, tear-resistant

Order no. 6.904-171.0



---

## Suction brushes

### Suction brushes

Natural bristles (cattle hair), pivotable

Order no. 6.903-862.0



---

## Suction hoses (Clip-system)

### Suction hose C-35

With bayonet and clip connection

Order no. 6.906-241.0



### Suction hose C-35

With bayonet and clip connection

Order no. 6.906-242.0



### Suction hose C-35, el.

With bayonet and clip connection. electrically conductive

Order no. 6.906-275.0



### Suction hose (clip system)

With bayonet and clip connection

Order no. 6.906-321.0



## Suction hoses (Clip-system)

---

### Suction hose C-35, el.

With bayonet and clip connection. electrically conductive

Order no. 6.906-500.0



### Suction hose (clip system)

With bayonet and clip connection

Order no. 6.906-546.0



### Suction hose (clip system)

With bayonet and clip connection

Order no. 6.906-714.0



### Suction hose

Suction hose with bayonet coupling, electroconductive

Order no. 6.906-877.0



## Suction hoses complete

---

### Suction hose, DN 35

Temperature-resistant to 120 ° C

Order no. 4.440-339.0





## Suction hoses complete

### Suction hose, DN 27

Connector for electric tools

Order no. 4.440-446.0



### Suction hose, DN 27

Connector for electric tools / electrically conductive

Order no. 4.440-461.0



### Suction hose, DN 27, el. complete

Connector for electric tools / electrically conductive

Order no. 4.440-462.0



## Suction hoses complete (Clip-system)

### Suction hose C-DN 35, complete

With bend

Order no. 4.440-626.0



### Suction hose, C DN 35

With bend, electrically conductive

Order no. 4.440-653.0



## Suction tubes

### Suction tube

metal

Order no. 6.900-274.0



## Suction tubes metal

### Suction tubes

Metal

Order no. 6.900-514.0



### Suction tubes

Metal

Order no. 6.900-275.0



## Suction tubes plastic

### Suction tube, DN 35

Plastic

Order no. 6.900-384.0



## Suction tubes stainless

### Suction tubes

Stainless steel

Order no. 6.902-046.0



## NT 35/1 Tact Te

### Suction tubes stainless

#### Suction tubes

Stainless steel

Order no. 6.902-081.0



#### Suction tubes

Stainless steel

Order no. 6.906-531.0



### Target-group-specific vacuum cleaner accessory sets

#### Horse grooming kit

Grooming brush, curry comb/rubber curry comb

Order no. 2.637-248.0



#### Builder's Kit

Individual parts: Suction hose 4 m (4.440-263), bend, metal (6.900-276), suction tube 2 x 0.5 m, metal (6.900-275), grout nozzle (6.903-033), floor nozzle (6.903-018)

Order no. 2.637-352.0



#### Professional cleaning kit

Individual parts: Suction hose 4 m (4.440-263), bend, metal (6.900-276), suction tube 2 x 0.5 m, metal (6.900-275), grout nozzle (6.903-033), floor nozzle with rollers (6.903-051)

Order no. 2.637-353.0



## NT 35/1 Tact Te

### Target-group-specific vacuum cleaner accessory sets

#### Universal Trades and Industry Kit

3.0 m suction hose 4.440-299, metal bend 6.900-519, 2x 0.5m metal tubes 6.900-514, All-purpose tool 6.900-425, Crevice tool 6.900-385, Upholstery tool 6.900-233, Carpet/ hard floor tool 6.959-271, Floor tool for wet pickup 6.903-284

Order no. 2.637-595.0



#### NT suction kit DN 40 e (electrically conductive)

Electrically conductive accessories

Order no. 2.638-147.0



#### Boiler cleaning kit

with special filter bag and long crevice tool

Order no. 2.638-852.0



### Tools for vacuuming smaller areas, cleaning machines

#### Rubber suction tool 45° DN61

Angled 45°, for suction of machines, oil-resistant

Order no. 6.902-106.0



### Turbo nozzle

#### Turbo nozzle

Upholstery nozzle, plastic with reducer ID 35/32

Order no. 2.860-113.0



## Turbo nozzle

### Turbo nozzle

Floor nozzle, plastic, with reducing sleeve 35/32

Order no. 2.860-114.0



## UBS non-conductive media

### ABS non-conductive media

For switching off when vacuuming non-conductive fluids such as oils and greases

Order no. 2.641-560.0



## Y-piece kit

### Y-junction kit

Distributor, plastic

Order no. 2.637-217.0

