

## NT 55/1 Tact Bs

Handy, highly absorbent, one-engined wet/dry vacuum cleaner with innovative, patented filter cleaning - TACT-System - and with a container volume of 55 l for all applications in the bakery and confectionery craft. The special PES flat pleated filter system offers the change between wet and dry suction without filter change. The unit will be delivered without accessory. The NT 55/1 Tact Bs is serially equipped with machine grounding (antistatic-system) up to the suction hose connection, accessory holder for the storage of baking oven nozzle or the baker's kit (both special accessory) with heat resistant container and rubber power cord.

### Standard accessories:

- Flat pleated filter PES
- Auto shutdown when max. level is reached
- Antistatic system
- Container material Plastic
- Eco filter system
- Heat-resistant plastic container
- Bumper bar
- Push handle
- Safety class I
- Caster with brake
- TACT Filter Clean
- Maintenance -free suction fans 1 piece



**Order no.: 1.146-702.0**

### Technical data

Air flow rate (l/s)	57
Vacuum (mbar/kPa)	235/23.5
Container capacity (l)	55
Max. intake performance (W)	1380
Performance disposal pump	-
Standard nominal width (mm)	35
Length of cord access. (m)	7.5
Sound pressure level (dB(A))	63
Weight (kg)	15
Dimensions (L x W x H) (mm)	570x370x860

## Details

### Description

The vacuum cleaner for bakers or baking ovens NT 55/1 Tact Bs is a very user-friendly unit that is suitable for the universal usage in the bakery and confectionery craft. The PES flat pleated filter of the new vacuum cleaner is very practical and offers the four advantages: \* The user can change from wet to dry vacuum cleaning without having to stop to change filters as the filter unit is always situated above the fluid level and it is damp-proof. \* The filter is easy accessible without having to drop off the turbine head. \* The flat pleated filter increases the usable volume of the 55 l container as it does not extend into this one. \* The maximum filter capacity can be used due to the auto filter cleaning system TACT. The turbine is switched off automatically by the electronic fluid level control when maximum fluid level is reached. The machine is tilt resistant and easy manoeuvrable because of the two big wheels and the two front castors. It can easily be carried thanks to its low weight. Comfort offers the big On-/Off-switch as well as the cable and accessory storage at the machine.

---

### Application

Universal usage in the entire bakery and confectionery craft, e. g. for vacuuming worktables and backing ovens or in areas where increased electrostatic electricity will be expected when dry vacuum cleaning (this can be reduced when electrostatically conductive accessories are used).

---

## Accessories

### Adapter (tube -> nozzle)

#### Adapter DN 35 - 40 (tube -> nozzle)

From DN 35 to 40, plastic

Order no. 6.902-084.0



### All-purpose brushes

#### All-purpose brush, DN 35

Natural bristles (ox hair), bristle element 120 x 45 mm

Order no. 6.903-863.0



### All-purpose nozzles (wet/dry)

#### All-purpose nozzle (wet/dry)

Aluminium with height-adjustable rollers with brush strips (6.903-064) and rubber lips (6.903-081, oil resistant).

Order no. 6.903-018.0



#### All-purpose tool (wet/dry)

Aluminium with height-adjustable rollers, brush strips (6.903-065) and rubber lips (6.906-146)

Order no. 6.906-383.0



#### All-purpose nozzle (wet/dry)

Aluminium with height-adjustable rollers, brush strips (6.903-064) and rubber lips (6.903-081)

Order no. 6.906-384.0



## All-purpose nozzles (wet/dry)

### Wet & dry floor nozzle DN 35

Plastic with rollers, brush strips (6.903-278) and rubber lips (6.903-277)

Order no. 6.906-512.0



### All-purpose nozzle (wet/dry)

Plastic with rollers, brush strips (6.905-878) and rubber lips (6.905-877)

Order no. 6.906-513.0



### All-purpose nozzle (wet/dry)

Plastic with rollers, brush strips (6.905-878.0) and rubber lips (6.905-877.0)

Order no. 6.906-554.0



## Baking oven nozzle

### Baking oven nozzle

Aluminium, for cleaning baking ovens with rubber lip 6.900-517 and supporting lip 6.900-518, je 2 x

Order no. 4.130-104.0



### Baking oven nozzle

For cleaning baking ovens with scratch bar

Order no. 4.130-173.0



## Bend metal

### Bends

Metal

Order no. 6.900-276.0



### Bends

Metal

Order no. 6.900-519.0



## Bend plastic

### Plastic bend

Plastic with C-35 clip system

Order no. 5.031-718.0



### Plastic bend

Plastic DN 35 with C-35 clip system, electroconductive

Order no. 5.031-939.0



### Bend, plastic, DN 35

Plastic

Order no. 6.902-009.0



## Bend stainless

### Bends

Stainless steel

Order no. 6.902-079.0



### Bends

Stainless steel

Order no. 6.903-141.0



## Car cleaning nozzles

### Car cleaning nozzle, DN 35

Plastic

Order no. 6.906-108.0



## Combi-nozzles (dry)

### Combi-nozzle (dry), DN 35

Plastic with stainless steel soleplate, switchable, with IC 35 inside cone

Order no. 6.906-511.0



### Combination nozzles (dry), DN 35

Plastic with stainless steel soleplate, chageover Only CV and NT vacuum cleaners

Order no. 6.906-639.0



## Combi-nozzles (dry)

### Combination nozzle packaged DN35

Plastic, with stainless steel soleplate and rollers, switchable

Order no. 6.906-874.0



## Connecting sleeve C-DN (clip on taper), EL (electroconductive)

### Connecting sleeve C-ID (clip on taper) (electrically conductive)

Connects C 40 hose for DN 35 EL accessories

Order no. 5.407-109.0



### Connecting sleeve C-ID (clip on taper) (electrically conductive)

Connects C 35 hose for DN 35 EL accessories

Order no. 5.407-112.0



## Crevice nozzles

### Grout nozzle

Plastic

Order no. 6.900-385.0



### Grout nozzle

Metal

Order no. 6.900-922.0



## Crevice nozzles

### Grout nozzle

Plastic

Order no. 6.903-033.0



### Grout nozzle

Metal

Order no. 6.905-817.0



### Crevice nozzle DN 35

Plastic

Order no. 6.906-240.0



## Crevice tools

### Grout nozzle, synthetic

Grout nozzle, plastic, 370 mm

Order no. 6.900-222.0



### Grout nozzle, stainless steel

Grout nozzle, stainless steel, 400 mm

Order no. 6.900-926.0





## Diaphragm filter/ fabric filter

### Diaphragm filter / fabric filter

Polyester needled fleece, washable (40 °C)

Order no. 6.904-212.0



## Extension hoses (Clip-system)

### Extension hose C 32 - C 35 - clip system

for all C-32 and C-35 hoses

Order no. 6.906-237.0



### Extension hose C 32 - C 35, el., clip system

for all C-32 and C-35 hoses, electroconductive

Order no. 6.906-277.0



### Extension hose C 40

For all C-40 hoses

Order no. 6.906-344.0



## Flat pleated filter (PES)

### Flat pleated filters (PES)

Polyester fleece material, special coated, rot-proof, BIA-C dust class M approved

Order no. 6.904-360.0



## Gangway nozzles

### Gangway nozzle

Metal, height-adjustable, strips, rubber lips (only for NT 55/1 Eco/Tact & NT 611 Eco/Tact versions)

Order no. 4.130-401.0



## Miscellaneous

### Extension cable

20 meter.

Order no. 6.647-022.0



## Nozzle sets

### Nozzle set

Crevice tool, upholstery tool, round brush

Order no. 2.860-116.0



## Paper filter (2 ply)

### Paper filter bags NT 561 Eco - 611 Eco + versions 5 pcs

BIA-C, dust class M approved

Order no. 6.904-208.0



## Pipe dusting nozzles

### Pipe dusting nozzle

Plastic, pipe diameter 100 mm

Order no. 6.903-035.0



### Pipe dusting nozzle

Plastic, pipe diameter 200 mm

Order no. 6.903-036.0



## Radiator brushes

### Radiator brush

Plastic, for crevice nozzle 6.900-385

Order no. 6.903-034.0



## Reducer (tube -> nozzle)

### Reducers (tube DN40-> nozzle)

From DN 40 to 35, plastic

Order no. 6.902-017.0



### Reducer (tube -> nozzle)

From DN 35 to 32, metal

Order no. 6.902-072.0



## Reducing sleeve

### Reducer

From C-40 hose to adapter, screwable DN 35

Order no. 5.407-108.0



## Repair kits

### Repair kit, C 35

Repair kit suction hose (clip system)

Order no. 2.639-682.0



## Rubber suction tools, nose 45°

### Rubber suction nozzle, 45° nose

For suction of machines, oil-resistant

Order no. 6.902-104.0



## Set reducing / extension sleeves

### Set reducing/ extension sleeves

ID 40/35, ID 35/32 (tube -> nozzle), plastic

Order no. 2.860-117.0



## Special filter bags, wet filter bags

### Special filter bags, wet filter bags

Approved for dust class L, general cleaning, wet and dry, tear-resistant

Order no. 6.904-211.0



## Special hoses

### Special suction hose, DN 35, heat-resistant

For cleaning baking ovens, temperature resistant up to 350 °C

Order no. 4.440-731.0



## Suction brushes

### Suction brushes

Natural bristles (cattle hair), pivotable

Order no. 6.903-862.0



## Suction hoses (Clip-system)

### Suction hose C-35

With bayonet and clip connection

Order no. 6.906-241.0



### Suction hose C-35

With bayonet and clip connection

Order no. 6.906-242.0



## Suction hoses (Clip-system)

---

### Suction hose C-35, el.

With bayonet and clip connection. electrically conductive

Order no. 6.906-275.0



### Suction hose (clip system)

With bayonet and clip connection

Order no. 6.906-321.0



### Suction hose C-35, el.

With bayonet and clip connection. electrically conductive

Order no. 6.906-500.0



### Suction hose (clip system)

With bayonet and clip connection

Order no. 6.906-546.0



### Suction hose

Suction hose with bayonet coupling, electroconductive

Order no. 6.906-877.0



## Suction hoses complete

### Suction hose, DN 35, 4 m

Standard

Order no. 4.440-287.0



### Suction hose, DN 35

Standard

Order no. 4.440-299.0



### Suction hose, DN 35

Temperature-resistant to 120 ° C

Order no. 4.440-339.0



### Suction hose, DN 35, el. cpl.

Electrically conductive

Order no. 4.440-350.0



### Suction hose, complete

Electrically conductive

Order no. 4.440-391.0



## Suction hoses complete (Clip-system)

### Suction hose C-DN 35, complete

With bend

Order no. 4.440-626.0



### Suction hose, C DN 35

With bend, electrically conductive

Order no. 4.440-653.0



## Suction tubes metal

### Suction tubes

Metal

Order no. 6.900-275.0



### Suction tubes

Metal

Order no. 6.900-514.0



## Suction tubes plastic

### Suction tube, DN 35

Plastic

Order no. 6.900-384.0





## Suction tubes stainless

### Suction tubes

Stainless steel

Order no. 6.902-046.0



### Suction tubes

Stainless steel

Order no. 6.902-081.0



### Suction tubes

Stainless steel

Order no. 6.906-531.0



## Target-group-specific vacuum cleaner accessory sets

### Baking oven kit

Individual parts: suction hose DN 35 (4.440-731), suction tube DN 35 (6.902-044), suction tube insulated (4.321-161), baking oven nozzle (4.130-173)

Order no. 2.640-341.0



### Baker`s Kit (electrically conductive)

Individual parts: suction hose with bed 4m (4.440-678), metal suction tube 2x0.5m (6.900-275), grout nozzle (6.903-033), floor nozzle (6.906-554), car vacuuming nozzle (6.906-385), all-purpose brush (6.903-863), suction brush (6.903-862), reducer (5.407-109)

Order no. 2.640-436.0



Special vacuum cleaners

## NT 55/1 Tact Bs



### Tools for vacuuming surfaces / cleaning machines

#### Surface tool alu DN61, 200mm

Flat surface nozzle cpl. DN 51, 200 mm, aluminium with brush and stainless steel bumper

Order no. 4.130-415.0

