

NT 65/2 Eco Tc

The NT 65/2 Eco Tc is a powerful, twin-engined wet/dry vacuum cleaner for professional applications. The flat pleated filter is cleaned efficiently by an air pulse system for almost constant suction power at all times.

Standard accessories:

- Suction hose 4 m
- Metal suction tube
- 2 x 0.5 m
- Filter bag Paper
- Wet and dry floor tool 360 mm
- Crevice tool
- Drain hose (oil resistant)
- Auto shutdown when max. level is reached
- Eco filter system
- Flat pleated filter PES
- Tilting chassis
- Power Filter Clean
- Bumper bar
- Push handle
- Safety class II
- Caster with brake
- Maintenance -free suction fans 2 piece



Order no.: 1.667-141.0

Technical data

Air flow rate (l/s)	2 x 56
Vacuum (mbar/kPa)	235/23.5
Container capacity (l)	65
Max. intake performance (W)	max. 2760
Standard nominal width (mm)	40
Length of cord access. (m)	10
Sound pressure level (dB(A))	74
Container material	Plastic
Frequency (Hz)	50-60
Voltage (V)	220-240
Weight (kg)	24
Dimensions (L x W x H) (mm)	690x520x1000

Details

Description

The NT 65/2 Eco Tc is a powerful wet/dry vacuum cleaner with an exclusive Power Filter Clean system for constant high suction power and long periods of uninterrupted operation. This unit features a compact fan housing with a separate filter cover for easy access to the large flat pleated PES filter. The filter is cleaned efficiently with the aid of the Power Filter Clean function (air pulses activated via remote control lever) to ensure high suction power at all times, longer periods of uninterrupted operation and a long filter life. The NT 65/2 Eco Tc is equipped with an electronic level monitor which shuts off suction when maximum capacity is reached during wet pick-up to prevent overflow. A tilting facility enables the robust plastic container to be emptied without causing backache. After wet pick-up, the container can also be emptied by means of the built-in oil-resistant drain hose. The clip system ensures simple and quick accessory changes. There are on-board holders for the hose and accessories as well as a large tray-like surface on top of the unit for parking tools. Two large wheels and two castors, one with brake, make the NT 65/2 Eco Tc highly mobile.

Application

This wet/dry vacuum cleaner is a particularly user-friendly unit suitable for universal applications in the crafts and trades, e. g. building and allied trades, automotive workshops and contract cleaners as well as the metal-working industries

Features & Benefits

High grade rubber-insulated power cord Very durable, non-kinking and abrasion resistant. For tough applications and a long service life Housing made of impact resistant plastics Low weight for effortless operation. Large flat tray for tools on motor head Tools (portable drill, orbital sander) can be put down safely and are always within reach without stooping Oil resistant drain hose standard on all machines Longlife hose, resistant to aggressive media, for easy emptying of full container. On-board holders for power cord and accessories Avoid soiling and damage. User has everything within easy reach.

Accessories

Adapter (tube -> nozzle)

Adapter (tube -> tool)

From DN 40 to 61, plastic

Order no. 5.453-019.0



Adapter for electric power tools, clip on, EL (electroconductive)

Adapter for electric power tools, C 35, el.

Plastic, adjustable from DN 26-36 (Te / Eco M / H), EL. Only WD vacuums

Order no. 5.453-042.0



Adapter for electric power tools, C 35, el.

Inner Ø 25.4 mm / outer Ø 34.6 mm / 38 mm EL. Only WD vacuums

Order no. 5.453-048.0



Connecting sleeve, electric tool C 35, el.

Inner Ø 28.6 mm / outer Ø 37.3 mm / 38.8 mm EL Only WD vacuums

Order no. 5.453-049.0



Adapter for electric power tools, C 35, el.

Inner Ø 27 mm / outer Ø 36.5 mm / 38.8 mm EL. Only WD vacuums

Order no. 5.453-050.0



NT 65/2 Eco Tc

Adapter for electric power tools, clip on, EL (electroconductive)

Connecting sleeve, electric tool C 35, el.

Inner Ø 32 mm / outer Ø 39 mm EL Only WD vacuums

Order no. 5.453-051.0



Connecting sleeve, electric tool C 35, el.

Inner Ø 28 mm / outer Ø 34 mm / 38.8 mm EL Only WD vacuums

Order no. 5.453-052.0



Adapter for electric power tools, screwable

Adapter for electric power tools, screwable

Plastic, adaptable from DN 26-36

Order no. 2.639-129.0



Adapter for electric power tools, screwable 35

Plastic, suitable for DN 26-36, EL

Order no. 5.453-016.0



Adapter for electric power tools, screwable 35

Inner Ø 28.6 mm / outer Ø 37.3/38.8 mm, EL

Order no. 5.453-026.0



NT 65/2 Eco Tc

Adapter for electric power tools, screwable

Adapter for electric power tools, screwable 35

Inner Ø 32 mm / outer Ø 39 mm

Order no. 6.902-059.0



Adapter for electric power tools, screwable 35

Inner Ø 28 mm / outer Ø 34/38.8 mm, EL

Order no. 6.902-095.0



All-purpose brushes

All-purpose brush, DN 35

Natural bristles (ox hair), bristle element 120 x 45 mm

Order no. 6.903-863.0



All-purpose nozzles (wet/dry)

All-purpose nozzle (wet/dry)

Plastic with rollers, brush strips (6.905-878.0) and rubber lips (6.905-877.0)

Order no. 6.906-554.0



All-purpose nozzle (wet/dry)

Aluminium with height-adjustable rollers with brush strips (6.903-064) and rubber lips (6.903-081, oil resistant).

Order no. 6.903-018.0



All-purpose nozzles (wet/dry)

All-purpose tool (wet/dry)

Aluminium with height-adjustable rollers, brush strips (6.903-065) and rubber lips (6.906-146)

Order no. 6.906-383.0



All-purpose nozzle (wet/dry)

Aluminium with height-adjustable rollers, brush strips (6.903-064) and rubber lips (6.903-081)

Order no. 6.906-384.0



All-purpose nozzle (wet/dry)

Plastic with rollers, brush strips (6.905-878) and rubber lips (6.905-877)

Order no. 6.906-513.0



Bend metal

Bends

Metal

Order no. 6.900-276.0



Bends

Metal

Order no. 6.900-519.0



Bend plastic

Plastic bend

Plastic with C-40 clip system

Order no. 5.031-904.0



Plastic bend

Plastic with C-35 clip system

Order no. 5.031-718.0



Plastic bend

Plastic DN 35 with C-35 clip system, electroconductive

Order no. 5.031-939.0



Plastic bend

Plastic with C-40 clip system, electroconductive

Order no. 5.032-427.0



Bend stainless

Bends

Stainless steel

Order no. 6.902-079.0



Bend stainless

Bends

Stainless steel

Order no. 6.903-141.0



Car cleaning nozzles

Car vacuuming nozzle

Plastic

Order no. 6.900-952.0



Connecting sleeve C-DN (clip on taper), EL (electroconductive)

Connecting sleeve C-ID (clip on taper) (electrically conductive)

Connects C 40 hose for DN 35 EL accessories

Order no. 5.407-109.0



Connecting sleeve C-ID (clip on taper) (electrically conductive)

Connects C 40 hose for DN 40 EL accessories

Order no. 5.407-111.0



Connecting sleeve C-ID (clip on taper) (electrically conductive)

Connects C 35 hose for DN 35 EL accessories

Order no. 5.407-112.0



Connecting sleeves

Connecting sleeve

For connecting 2 suction hoses, thread on both sides

Order no. 6.900-286.0



Connecting sleeve

For connecting 2 suction hoses (not ESB 28)

Order no. 6.902-077.0



Connecting sleeve

For connecting 2 suction hoses, thread on both sides

Order no. 6.902-078.0



Crevice nozzles

Grout nozzle

Plastic

Order no. 6.903-033.0



Grout nozzle

Plastic

Order no. 6.900-385.0



Crevice nozzles

Grout nozzle

Metal

Order no. 6.900-922.0



Grout nozzle

Metal

Order no. 6.905-817.0



Crevice tools

Grout nozzle, synthetic

Grout nozzle, plastic, 370 mm

Order no. 6.900-222.0



Grout nozzle, stainless steel

Grout nozzle, stainless steel, 400 mm

Order no. 6.900-926.0



Diaphragm filter/ fabric filter

Diaphragm filter / fabric filter

Polyester needled fleece, BIA-C approved, washable (40 °C)

Order no. 6.904-282.0



Extension hoses (Clip-system)

Extension hose C 40

For all C-40 hoses

Order no. 6.906-344.0



Flat pleated filter (paper)

Flat filters

Paper, BIA-C dust class M approved, (only NT 65/ 2 Eco/opt. with TC models)

Order no. 6.904-283.0



Flat pleated filter (PES)

Flat pleated filters (PES)

Polyester fleece, rot-proof, Dust class M approved

Order no. 6.904-284.0



Floor tools

Floor nozzle cpl. 500 mm

Aluminium, oil-proof, 500 mm, with height-adjustable rollers, strips (6.903-067.0) and rubber lips (6.906-168.1)

Order no. 4.130-413.0



Gangway nozzles

Gangway nozzle

Metal, height-adjustable, brush strips, only for Tc versions.

Order no. 4.130-400.0



HEPA filter for dust class H

HEPA flat filter

HEPA surface filter, dust class H (H 14)

Order no. 6.904-364.0



Miscellaneous

Extension cable

20 meter.

Order no. 6.647-022.0



Other accessories for T and NT

Separator

Complete container (80 litre) and lid (ID 61); for coarse dirt and fluids (without suction hose).

Order no. 3.864-010.0



Barrel separator

Metal, from DN 61 to 61, for liquids only

Order no. 3.864-012.0



Other accessories for T and NT

Lid separator

For 6.902-051/4.070-111 and NT 802 I tank

Order no. 4.063-132.0



Adapter ring for 200-l drum

Ring adapter for EURO steel drum (200 l.) with lid but in connection with additional lid (separator) 4.063-132.

Order no. 6.902-051.0



Paper filter (2 ply)

Filter bags 5 pcs - NT 65/2 Eco

BIA-C, dust class M approved, 3-ply, reinforced outer ply, tear resistant

Order no. 6.904-285.0



Pipe dusting nozzles

Pipe dusting nozzle

Plastic, pipe diameter 100 mm

Order no. 6.903-035.0



Pipe dusting nozzle

Plastic, pipe diameter 200 mm

Order no. 6.903-036.0



Plastic sacks for dust-free disposal

Plastic sacks for dust-free disposal

PE plastic sack

Order no. 6.900-698.0



Radiator brushes

Radiator brush

Plastic, for crevice nozzle 6.900-385

Order no. 6.903-034.0



Reducer (tube -> nozzle)

Reducers (tube DN40-> nozzle)

From DN 40 to 35, plastic

Order no. 6.902-017.0



Reducer (tube -> nozzle)

From DN 35 to 32, metal

Order no. 6.902-072.0



Reducing sleeve

Reducer

From C-40 hose to adapter, screwable DN 35

Order no. 5.407-108.0



Reducing sleeve

Reducing sleeve

Reducing sleeve, from C-40 to C-35

Order no. 5.407-113.0



Repair kits

Repair kit, C 40

Repair kit suction hose (clip system)

Order no. 2.639-873.0



Repair kit

Suction hose repair kit. Optional for all NT 65/2 and 72/2, NT 993 I, NT 802 I

Order no. 2.862-038.0



Rubber suction tools, nose 45°

Rubber suction nozzle, 45° nose

For suction of machines, oil-resistant

Order no. 6.902-104.0



Rubber suction nozzle, 45° nose

For suction of machines, oil-resistant

Order no. 6.902-105.0



NT 65/2 Eco Tc

Set reducing / extension sleeves

Set reducing/ extension sleeves

ID 40/35, ID 35/32 (tube -> nozzle), plastic

Order no. 2.860-117.0



Suction brushes

Suction brushes

Natural bristles (cattle hair), pivotable

Order no. 6.903-862.0



Suction hoses

Set of connectors C-40

Repair kit for all C-40 and ID 40 hoses

Order no. 2.639-905.0



Suction hose, plastic

(without connectors)

Order no. 6.389-839.0



Suction hoses (Clip-system)

Suction hose, complete

With bayonet and clip connection

Order no. 6.906-279.0



Suction hoses (Clip-system)

Suction hose (clip system)

With bayonet and clip connecton

Order no. 6.906-321.0



Suction hose (clip system)

With bayonet and clip connecton

Order no. 6.906-546.0



Suction hose (clip system)

With bayonet and clip connecton

Order no. 6.906-635.0



Suction hose (clip system)

With bayonet and clip connecton

Order no. 6.906-714.0



Suction hose

Suction hose with bayonet coupling, electroconductive

Order no. 6.906-877.0



Suction hoses complete

Suction hose, complete

Standard

Order no. 4.440-264.0



Suction hose, complete

Industrial hose, PVC/elastomer with steel spiral, smooth inside

Order no. 4.440-328.0



Suction hose, complete

Standard

Order no. 4.440-467.0



Suction hose (without connectors)

Oil-resistant

Order no. 4.440-613.0



Suction hose (without connectors)

Oil-resistant

Order no. 4.440-614.0



Suction hose, complete

Industrial hose, PVC/elastomer with steel spiral, smooth inside

Order no. 4.440-615.0



Suction hoses complete

Suction hose, complete

Electrically conductive

Order no. 4.440-616.0



Suction hose, DN 61, el. complete

Electrically conductive

Order no. 4.440-617.0



Suction hoses complete (Clip-system)

Suction hose, C-DN 40, complete

With bend and module (4.060-474)

Order no. 4.440-679.0



Suction hose complete (clip system)

with bend

Order no. 4.440-678.0



Suction hose, C 40

With bend and module (4.060-533), electrically conductive

Order no. 4.440-728.0



Suction tubes metal

Suction tubes

Metal

Order no. 6.900-275.0



Suction tubes

Metal

Order no. 6.900-514.0



Suction tubes stainless

Suction tubes

Stainless steel

Order no. 6.902-046.0



Suction tubes

Stainless steel

Order no. 6.902-081.0



Suction tubes

Stainless steel

Order no. 6.906-531.0



NT 65/2 Eco Tc

Target-group-specific vacuum cleaner accessory sets

Bus cleaning kit

Individual parts: tubular frame with hose holder (4.050-667), suction hose 16m (4.440-756), floor tool (6.906-639), grout nozzle (6.906-240), metal suction tube 2x0.5m (6.900-514), metal bend (6.900-519), suction brush (6.900-697), filter bag, 5-pack (6.904-285), car vacuuming nozzle (6.906-108), reducer (5.407-109)

Order no. 2.640-560.0



Tools for vacuuming smaller areas, cleaning machines

Rubber suction tool 45° DN61

Angled 45°, for suction of machines, oil-resistant

Order no. 6.902-106.0



Tools for vacuuming surfaces / cleaning machines

Surface tool alu DN61, 200mm

Flat surface nozzle cpl. DN 51, 200 mm, aluminium with brush and stainless steel bumper

Order no. 4.130-415.0



Scratcher and scraper tool DN61 metal

Scratcher and scraper tool DN 61, sheet metal, 117 mm

Order no. 6.903-360.0



UBS non-conductive media

UBS non-conductive media -2

for shutdown with non-conductive liquids

Order no. 2.640-426.0



Wet and dry vacuum cleaners

NT 65/2 Eco Tc



Y-piece kit

Y-junction kit

Distributor, plastic

Order no. 2.637-217.0

