

Battery powered ride-on scrubber drier with the detergent dosing system Dose. Due to the new brush head generation are brush heads with disc and roller brushes with working widths 75 cm and 90 cm eligible. Positioned between B 90 R and BR/BD 100/250 R.

**Standard accessories:**

- Traction drive
- Automatic water stop
- 2-tank system

**Order no.: 1.246-001.0****Technical data**

Working width, brush (mm)	750
Working width, vacuum (mm)	940
Tank fresh/dirt water (l)	140/140
Area performance (m <sup>2</sup> /h)	4500
Brush rotation speed (rpm)	-
Brush contact pressure (g/cm <sup>2</sup> )	-
Battery Voltage (V)	24
Battery Capacity	-
Motor rating (W)	-
Container l	-
Weight (kg)	200
Dimensions (L x W x H) (mm)	1550x930x1500
Sound pressure level	-

## Details

### Description

This ride-on scrubber drier is used in areas that are normally reserved for big walk-behind models. It is ideal for large supermarkets, warehouses and factory floors. Thanks to its compact suction width, this machine has no problem travelling through narrow doorways and aisles. Optimal adjustment on different floor coverings by continuous adjustable brush pressure and water quantity. The R version has a further advantage with FACT: the optimal adjustment of brush speed on the application and the necessity of the surrounding. The memory function allows the operator to recall his personal saved adjustments e.g. brush pressure and water quantity at the push of a button. The chassis has been designed to make this machine one of the most manoeuvrable in its class. It needs only 1.6 metres between walls to turn and can be driven away from walls and shelves at a right angle without damaging them. Water guide rail at the side feeds dirty cleaning solution to the squeegee for optimum pick-up. This ensures dry floors even in tight corners. Through the integrated pre-sweeping device the R head collects coarse dirt into the bin. 140-litre fresh/dirty water tank for long periods of uninterrupted operation (up to 2250 m<sup>2</sup> with one tank filling) The battery is positioned in the centre of the housing.

---

### Application

Attractive for the following target groups: Contract cleaners, shopping centers, warehouses and industry, economical on areas of 2500 to 6000 sq.m.

---

### Features & Benefits

Automatic water and brush stop when the machine is stopped. Protection of sensitive surfaces because the pump and the brushes are automatically controlled. Brush head with roller brushes: Large brush head with contra-rotating brushes and an integrated sweeping device. Best sweeping result because the dirt in front of the machine is swept-in as well as the dirt in the rear. Suction beam doesn't get blocked due to cigarettes etc. Low fresh water consumption because the cleaning solution goes along with second brush. Large fresh/waste water tank (140/140 l). No continual refilling anymore which provides long and cost-saving operation intervals. With integrated fresh water filter. Longlife turbine. 36 month warranty. No carbon brushes because they are quickly worn out. Long life-time and best suction performance. Memo-function. Increased economy because for repeated operation tasks always the same water and detergent-agent amounts are used (no overdosing!). Lower risks of damages because the brush pressure is also pre-adjusted. Very clear operation panel. All functions are clearly readable. Brush pressure and water amount are electronically adjustable. Using the machine is easily learnt. No long application trainings are needed. Tank is shaped like a „V“. Long operation intervals without foam-formation because foam is spread out over a large area and dissolved when the waste water level increases. Water guide strip at the brush head. Cleaning solution will be channelled to the squeegee. Therefore a smaller squeegee is sufficient, and thereby a perfect driving through also through near doors and gangways. Two-piece, hood made from plastic (PE).

---

## Accessories

### Alt Zubehöre

#### Roller pads, very soft, 105 mm

very soft, white, for polishing

**Order no. 6.369-389.0**



### Anbausatz Recyclingbetrieb

#### Mounting Kit Recycling

enables the directly recycling of water - saves water, detergent and time

**Order no. 2.640-201.0**



### Bodenköpfe

#### Brush-head D 75

Brush-head with 2 disc brushes, brush-quick-change-system and a working width of 75 cm. The side splash guards are adjustable in the height. So the water will be kept under the brush-head. The cleaning solution will be run optimally to the squeegee, also in driving turns. Brush head packed separately.

**Order no. 2.763-005.0**



#### Brush-head R 75

Brush-head with 2 roller brushes and a working width of 75 cm. Brush-change without tools. The side splash guards are adjustable in the height. So the water will be kept under the brush-head. The cleaning solution will be run optimally to the squeegee, also in driving turns. Brush head packed separately.

**Order no. 2.763-006.0**



## Disc Brushes for BD

### Disc brush, medium

Medium, for all floors.

Order no. 4.905-003.0



### Disc brush, soft

Made of natural fibres, for spray cleaning and for polishing.

Order no. 4.905-004.0



### Disc brush, very soft

Very soft, for cleaning sensitive surfaces and for polishing.

Order no. 4.905-005.0



### Disc brush, hard

Hard, for heavy soilings and for deep cleaning. For unsensitive floors only.

Order no. 4.905-006.0



### Disc brush, medium, 385 mm

Medium, for all floors. Standard with D 75.

Order no. 4.905-018.0



### Disc brush, very soft, 385 mm

Very soft, for cleaning sensitive surfaces and for polishing. Fits D 75.

Order no. 4.905-019.0



## Disc Brushes for BD

### Polishing brush, soft, 385 mm

Made of natural fibres, for spray cleaning and for polishing. Fits D 75.

Order no. 4.905-020.0



### Disc brush, hard, 385 mm

Hard, for heavy soilings und for deep cleaning. For unsensitive floors only. Fits D 75.

Order no. 4.905-021.0



## Microfibre pad

### Pad microfibre

Excellent cleaning power. Cleans even pores of fine stoneware tiles.

Order no. 6.369-960.0



### Microfibre pad

Excellent cleaning power. Cleans even pores of fine stoneware tiles.

Order no. 6.371-078.0



## Microfibre shaft

### Microfibre roller

World innovation: application of microfibre rollers combines the excellent cleaning properties of microfibres with the benefits of the roller brush technology.

Combined with roller pad shaft 4.762-434.0. Fits on R 75.

Order no. 4.114-007.0



## Microfibre shaft

### Microfibre roller

World innovation: application of microfibre rollers combines the excellent cleaning properties of microfibres with the benefits of the roller brush technology. Combined with roller pad shaft 4.762-435.0. Fits on R 90.

**Order no. 4.114-008.0**



## Miscellaneous

### Backrest kit

**Order no. 2.640-681.0**



### Work illumination kit

For operation in poorly lit areas.

**Order no. 2.641-349.0**



### Cleaning agent dosage kit, wall mounted DS 3

Directly connectable with the tab, water and detergent will be filled in the fresh water tank in the preset mixture. Can also be used with filling system kit.

**Order no. 2.641-811.0**



### Suction hose accessories

For taking in water from corners or containers (e.g. deep freezers). 3.25 m

**Order no. 4.444-015.0**



## Miscellaneous

### Additional weight kit

ensures that squeegee glides optimally

Order no. 5.031-498.0



### Filling hose

For easy filling from the tab

Order no. 6.389-524.0



### Front wheel without profile

reduces wheel marks on sensitive, white floors

Order no. 6.435-732.0



### Back wheel without profile

reduces wheel marks on sensitive, white floors

Order no. 6.435-733.0



### Front wheel, traction

Tyre with V-type tread and very good traction. Oil resistant.

Order no. 6.435-810.0



---

## Pad drive board

### Pad drive board

Fits D 75. For cleaning with pads. With quick-changing coupling and center lock.

**Order no. 4.762-447.0**



---

### Pad drive board

Fits on D 90. For cleaning with pads. With quick-changing coupling and center lock.

**Order no. 4.762-493.0**



---

## Pads

### Pad, hard

Hard, for persistent soilings and for deep cleaning.

**Order no. 6.369-022.0**



---

### Pad, medium hard

Medium hard, for cleaning stubborn soilings and for deep cleaning.

**Order no. 6.369-023.0**



---

### Pad, medium soft

Medium soft, for wet-cleaning of all surfaces and for spray cleaning.

**Order no. 6.369-024.0**





## Pads

### Pad, hard

Hard, for persistent soilings and for deep cleaning.

Order no. 6.369-789.0



### Pads, medium hard

Medium hard, for cleaning stubborn soilings and for deep cleaning.

Order no. 6.369-790.0



### Pad, medium soft

Medium soft, for wet-cleaning of all surfaces and for spray cleaning.

Order no. 6.369-791.0



## Roller brushes for BR

### Roller brush, medium

Medium, for all floors. Standard with R 75.

Order no. 6.906-936.0



### Roller brush, medium

Medium, for all floors. Standard with R 90.

Order no. 6.906-937.0



## Roller brushes for BR

### Roller brush, soft

Soft, for cleaning sensitive surfaces and for polishing. Fits on R 75.

**Order no. 6.906-985.0**



### Roller brush, high-low

Medium hard, for cleaning strong structured floors and deeper joints. Fits R 75.

**Order no. 6.906-986.0**



### Roller brush, hard

Hard, for heavy soilings und for deep cleaning; for unsensitive floors only. Fits to brush head R 75.

**Order no. 6.906-987.0**



### Roller brush, very hard

Very hard, for extremely sticky dirt and for deep cleaning; for unsensitive surfaces only. Fits to brush head R 75.

**Order no. 6.906-988.0**



### Roller brush, soft

Soft, for cleaning sensitive surfaces and for polishing. Fits R 90.

**Order no. 6.906-989.0**



### Roller brush, high/low

Medium hard, for cleaning strong structured floors and deeper joints. Fits R 90.

**Order no. 6.906-990.0**



## Roller brushes for BR

### Roller brush, hard

Hard, for heavy soilings und for deep cleaning; for unsensitive floors only. Fits to brush head R 90.

Order no. 6.906-991.0



### Roller brush, very hard

Very hard, for extremely sticky dirt and for deep cleaning; for unsensitive surfaces only. Fits to brush head R 90.

Order no. 6.906-992.0



## Roller pad shaft

### Roller pad shaft

fits R 75

Order no. 4.762-434.0



### Roller pad shaft

Order no. 4.762-435.0



## Roller pads

### Roller pad, soft

Soft, for polishing and for spray cleaning of non-structured surfaces. Combined with the corresponding roller pad shaft.

Order no. 6.369-454.0



## Roller pads

### Roller pad, hard

Hard, for removing the stubborn soilings and for deep cleaning of non-structured surfaces. Combined with the corresponding roller pad shaft.

Order no. 6.369-455.0



### Roller pad, medium

Medium, for cleaning non-structured surfaces. Combined with the corresponding roller pad shaft.

Order no. 6.369-456.0



## Spray extraction mounting kit

### Spray suction kit

For cleaning areas inaccessible for machines.

Order no. 2.640-186.0



## Squeegees for suction bars

### Rubber lips, non-streak, oil resistant

brown, non-streak, oil resistant

Order no. 6.273-205.0



### Squeegee for suction bars

non-streak, oil resistant, brown

Order no. 6.273-206.0



## Squeegees for suction bars

### Rubber lips, oil resistant

brown, oil resistant

Order no. 6.273-208.0



### Squeegee for suction bars

oil resistant, brown

Order no. 6.273-209.0



### Rubber lips, standard

standard, blue

Order no. 6.273-214.0



### Squeegee for suction bars

standard, blue

Order no. 6.273-215.0



## Suction bar, complete

### Squeegee, straight

Straight, with supporting rolls. Squeegees consist of soft natural rubber.

Order no. 4.777-302.0



## Suction bar, complete

### Suction bar, straight, 1060 mm

Straight, with supporting rolls. Squeegees consist of soft natural rubber.

Order no. 4.777-303.0



### Squeegee, curved

Curved, with supporting rolls. Squeegees consist of soft natural rubber.

Order no. 4.777-312.0



### Suction bar, curved, 1060 mm

Curved, with supporting rolls. Squeegees consist of soft natural rubber.

Order no. 4.777-313.0



## Traction batteries and chargers for vacuum sweepers - 24 V

### Battery (in tray)

with central filling system

Order no. 6.654-112.0



### Battery

4 pcs required

Order no. 6.654-119.0



---

## Traction batteries and chargers for vacuum sweepers - 24 V

### Charger

For battery 6.654-119

Order no. 6.654-120.0



---

## Vacuum sweepers and scrubber-dryers - 24 V

### Battery (in tray)

with central filling system

Order no. 6.654-052.0



### Charger

For battery 6.654-052

Order no. 6.654-139.0

