

## BD 55/40 C Ep

Comfortable, power-supplied walk-behind scrubber with disc brushes. With a working width of 550 mm and standard equipment. Economical for areas from 600 to 1.500 m<sup>2</sup>.

### Standard accessories:

- Disc brush
- Mains operation
- Tank-in-tank system

Order no.: 1.533-151.0



### Technical data

Working width, brush (mm)	550
Working width, vacuum (mm)	850
Tank fresh/dirt water (l)	40/40
Max. area performance (m <sup>2</sup> /h)	2200
Brush rotation speed (rpm)	145
Brush contact pressure (g/cm <sup>2</sup> )	20
Frequency Hz	50
Voltage (V)	220-240
Motor rating (W)	max. 1580
Weight (kg)	85
Dimensions (L x W x H) (mm)	1285x695x1115
Battery Voltage	-
Battery Capacity	-

## Details

### Description

Time saving: - brush change within seconds,

---

### Application

Hygienic: - waste water tank easy to clean,

---

### Features & Benefits

simple and comfortable: - fresh water tank with filling indicator, - automatic water stop, - lever foldable, - information panel, - single-button (EASY) for short period of introduction, - transport wheel by foot pedal

---

## Accessories

### Disc Brushes for BD

#### Disc brush, medium

Medium, for all floors.

Order no. 4.905-002.0



#### Disc brush, soft

Made of natural fibres, for spray cleaning and for polishing.

Order no. 4.905-007.0



#### Disc brush, very soft

Very soft, for cleaning sensitive surfaces and for polishing.

Order no. 4.905-008.0



#### Disc brush, hard

Hard, for heavy soilings and for deep cleaning. For unsensitive floors only.

Order no. 4.905-009.0



### Microfibre pad

#### Pad microfibre

Excellent cleaning power. Cleans even pores of fine stoneware tiles.

Order no. 6.369-961.0



## Miscellaneous

### Cleaning agent dosage kit, wall mounted DS 3

Directly connectable with the tab, water and detergent will be filled in the fresh water tank in the preset mixture. Can also be used with filling system kit.

**Order no. 2.641-811.0**



### Suction hose accessories

For taking in water from corners or containers (e.g. deep freezers). 3.25 m

**Order no. 4.444-015.0**



### Filling hose

For easy filling from the tab

**Order no. 6.389-524.0**



### Extension cable

20 meter.

**Order no. 6.647-022.0**



## Pad drive board

### Pad drive board

For cleaning with pads. With quick-changing coupling and center lock.

**Order no. 4.762-416.0**



## Pads

### Pad, hard

Hard, for persistent soilings and for deep cleaning.

Order no. 6.369-015.0



### Pad, medium

Medium hard, for cleaning stubborn soilings and for deep cleaning.

Order no. 6.369-016.0



### Pad, medium soft

Medium soft, for wet-cleaning of all surfaces and for spray cleaning.

Order no. 6.369-017.0



## Polishing pad

### Diamond pad

For restauration as preparation for the purple pad

Order no. 6.371-197.0



### Diamond pad

For high-gloss polishing

Order no. 6.371-198.0



## Squeegees for suction bars

### Rubber lips, oil-resistant

oil resistant, brown

Order no. 6.273-207.0



### Rubber lips, standard

standard, blue

Order no. 6.273-213.0



### Rubber lips, non-streak, oil-resistant

non-streak, oil resistant, brown

Order no. 6.273-229.0



## Suction bar, complete

### Squeegee, straight

Straight, without supporting rolls. Squeegees consist of soft natural rubber.

Order no. 4.777-306.0



### Squeegee, curved

Curved, without supporting rolls. Squeegees consist of soft natural rubber.

Order no. 4.777-316.0

