

The BR 40/10 C Classic, the economic entry model of scrubber dryer with 40 cm. It has a tank volume of 10 l fresh and waste water. The machine has a fixed brush contact pressure of 100 g/cm<sup>2</sup>.

**Standard accessories:**

- Roller brush
- 2-tank system
- Mains operation
- 2 straight squeegees

**Order no.: 1.783-300.0**

**Technical data**

Working width, brush (mm)	400
Working width, vacuum (mm)	400
Motor rating (W)	1900
Battery Capacity	-
Battery Voltage	-
Tank fresh/dirt water (l)	10/10
Brush contact pressure (g/cm <sup>2</sup> )	100-120
Brush rotation speed rpm	1100
Max. area performance (m <sup>2</sup> /h)	400
Frequency Hz	50
Voltage (V)	220-240
Weight (kg)	30
Dimensions (L x W x H) (mm)	520x470x380

## Details

### Description

This compact and flexible scrubber dryer can be used for variable cleaning applications. A cleaning in both directions is possible. Due to the reduced contact pressure, cleaning of sensitive surfaces like linoleum is possible without any problems. Special features of the machine are the hinged push handle and the easily removable tanks, which can be carried with an ergonomic push handle. The tanks can also be filled at low wash basins. The brushes and squeegees can be changed within a few seconds without any tools.

---

### Application

Due to its compact construction, the economic machine can be used for areas between 100 and 400 sqm for example in shops, hospitals, restaurants, hotels or crafts. For maintenance cleaning.

---

### Features & Benefits

The scrubber dryer offers comfort for the users due to the ergonomic push handle. It saves space because of its compact size and the hinged push handle. It is easy to transport because of an integrated under-carriage. The tanks can be easily removed and also filled at low wash basins. Due to the high tank volume of 10 l, longer cleaning intervals are possible. The brushes can be changed within a few minutes without any tools. The squeegees can be easily changed as a compact unit. The scrubber dryer offers a highly innovative design. Due to its construction it is highly service and user friendly. The fixed and defined brush pressure to remove light to middle soilings.

---

## Accessories

### Microfibre shaft

#### Microfibre roller

World innovation: Application of microfibre rollers combines the excellent cleaning properties of microfibres with the benefits of the roller brush technology. Combined with roller pad shaft 4.762-228.0.

**Order no. 4.114-004.0**



### Miscellaneous

#### Cleaning agent dosage kit, wall mounted DS 3

Directly connectable with the tab, water and detergent will be filled in the fresh water tank in the preset mixture. Can also be used with filling system kit.

**Order no. 2.641-811.0**



#### Filling hose

For easy filling from the tab

**Order no. 6.389-524.0**



#### Extension cable

20 meter.

**Order no. 6.647-022.0**



### Roller brushes for BR

#### Roller brush, medium

Medium, for all floors.

**Order no. 4.762-458.0**



## Roller brushes for BR

### Roller brush, very soft

Very soft, for cleaning sensitive surfaces and for polishing.

Order no. 4.762-250.0



### Roller brushes, high-low

Medium hard, for cleaning strong structured floors and deeper joints.

Order no. 4.762-251.0



### Roller brushes, hard

Hard, for heavy soilings and for deep cleaning; for unsensitive floors only.

Order no. 4.762-252.0



### Roller brush, carpet, soft, 400 mm

carpet, soft, blue, for pile loop

Order no. 4.762-254.0



### Roller brush, soft

Very soft, made of horsehair, perfect for spray cleaning and for polishing.

Order no. 4.762-274.0



### Roller brush, very hard

Very hard, for extremely sticky dirt and for deep cleaning; for unsensitive surfaces only.

Order no. 4.762-481.0



## Roller pad shaft

### Roller pad shaft

400 mm

Order no. 4.762-228.0



## Roller pads, premounted on sleeves

### Roller pad on sleeve, soft

Soft, 96 mm, roller pads premounted on sleeve, for polishing and for spray cleaning of non-structured surfaces. Combined with roller pad shaft 4.762-228.0. Machine requires 2.

Order no. 6.369-724.0



### Roller pads on sleeve, hard

Hard, 96 mm, roller pads on sleeve, for removing the stubborn soilings and for deep cleaning of non-structured surfaces. Combined with roller pad shaft 4.762-228.0. Machine requires 2.

Order no. 6.369-725.0



### Roller pads on sleeve, medium

Medium, 96 mm, roller pads premounted on sleeve, for cleaning non-structured surfaces. Combined with roller pad shaft 4.762-228.0. Machine requires 2.

Order no. 6.369-726.0



## Suction bar, complete

### Squeegee, standard

straight, standard

Order no. 4.777-323.0



Scrubber driers compact

## BR 40/10 C Classic



---

### Suction bar, complete

**Squeegee, oil resistant**  
straight, oil-resistant

**Order no. 4.777-322.0**

