

Manually-steered battery-operated floor scrubber with roller brushes with a performance up to 1600 m<sup>2</sup>/h. For economic basic cleaning, maintenance cleaning and polishing of surfaces up to 800 m<sup>2</sup>. Equipped with maintenance-free batteries and on-board charger.

**Standard accessories:**

- Roller brush
- Tank-in-tank system
- Battery and charger on board
- Battery type maintenance-free

**Order no.: 1.515-301.0**

**Technical data**

Working width, brush (mm)	400
Working width, vacuum (mm)	770
Motor rating (W)	1200
Battery Capacity (Ah)	75
Battery Voltage (V)	24
Tank fresh/dirt water (l)	25/25
Brush contact pressure (g/cm <sup>2</sup> )	250
Brush rotation speed (rpm)	1350
Max. area performance (m <sup>2</sup> /h)	1600
Frequency (Hz)	50
Voltage (V)	230
Weight (kg)	117
Dimensions (L x W x H) (mm)	800x575x830

## Details

### Description

The scrubber drier BR 40/25 C for small and blocked floors is equipped with the single knob operation EASY and very easy to maintain. It is very short and has an extremely small turning cycle. So it is exceptionally agile. It has a working scrubbing width of 400 mm. The BR 40/25 C is very quiet, simple to clean and the handle bar can be folded for easy transport. The straight squeegee is equipped with double-sided rubber blades.

---

### Application

It is suitable for basic cleaning, maintenance cleaning and polishing hard floors. It has a performance of 1600 m<sup>2</sup> and can be used economically for areas of 200 up to 800 m<sup>2</sup>. It cleans smooth or structured surfaces properly. On marble and terrazzo it is possible to crystallize. On parquet, water must be vacuumed immediately (no two-step method). Linoleum can be treated like PVC. For heavy soiling, for polishing or crystallizing there are special accessories available.

---

### Features & Benefits

Battery driven Flexible without power cord. Brush change Easy to maintain. Changing of brushes within seconds. Brush head with transport wheel Easy to use and easy transport. One-button operation - EASY User friendly and easy to maintain. Straight squeegee available Optimized suction effect for all floor conditions possible. Please order separately. Compact size Due to the compact size of the machine it is also possible to clean small blocked areas easily. Tank capacity 25 litre fresh water and 25 litre waste water. Two plastic parts for the chassis. Only few parts. Integrated a two-chamber tank system. Break- and sound-proofed, easy to refill. Fresh water indication The transparent and flexible tubing is easily accessible and indicates the fresh water during cleaning.

---

## Accessories

### Microfibre shaft

#### Microfibre roller

World innovation: Application of microfibre rollers combines the excellent cleaning properties of microfibres with the benefits of the roller brush technology. Combined with roller pad shaft 4.762-228.0.

**Order no. 4.114-004.0**



### Miscellaneous

#### Cleaning agent dosage kit, wall mounted DS 3

Directly connectable with the tab, water and detergent will be filled in the fresh water tank in the preset mixture. Can also be used with filling system kit.

**Order no. 2.641-811.0**



#### Suction hose accessories

For taking in water from corners or containers (e.g. deep freezers). 3.25 m

**Order no. 4.444-015.0**



#### Filling hose

For easy filling from the tab

**Order no. 6.389-524.0**



### Roller brushes for BR

#### Roller brush, medium

Medium, for all floors.

**Order no. 4.762-458.0**



---

## Roller brushes for BR

### Roller brush, very soft

Very soft, for cleaning sensitive surfaces and for polishing.

Order no. 4.762-250.0



---

### Roller brushes, high-low

Medium hard, for cleaning strong structured floors and deeper joints.

Order no. 4.762-251.0



---

### Roller brushes, hard

Hard, for heavy soilings and for deep cleaning; for unsensitive floors only.

Order no. 4.762-252.0



---

### Roller brush, soft

Very soft, made of horsehair, perfect for spray cleaning and for polishing.

Order no. 4.762-274.0



---

### Roller brush, very hard

Very hard, for extremely sticky dirt and for deep cleaning; for unsensitive surfaces only.

Order no. 4.762-481.0



## Roller pad shaft

### Roller pad shaft

400 mm

Order no. 4.762-228.0



## Roller pads, premounted on sleeves

### Roller pad on sleeve, soft

Soft, 96 mm, roller pads premounted on sleeve, for polishing and for spray cleaning of non-structured surfaces. Combined with roller pad shaft 4.762-228.0. Machine requires 2.

Order no. 6.369-724.0



### Roller pads on sleeve, hard

Hard, 96 mm, roller pads on sleeve, for removing the stubborn soilings and for deep cleaning of non-structured surfaces. Combined with roller pad shaft 4.762-228.0. Machine requires 2.

Order no. 6.369-725.0



### Roller pads on sleeve, medium

Medium, 96 mm, roller pads premounted on sleeve, for cleaning non-structured surfaces. Combined with roller pad shaft 4.762-228.0. Machine requires 2.

Order no. 6.369-726.0



## Squeegees for suction bars

### Rubber lips, standard

standard, blue

Order no. 6.273-253.0



## Squeegees for suction bars

### Rubber lips, oil resistant

oil resistant, brown

Order no. 6.273-254.0



### Rubber lips, non-streak, oil resistant

non-streak, oil resistant, brown

Order no. 6.273-262.0



## Suction bar, complete

### Squeegee, straight

Straight, without supporting rolls. Squeegees consist of soft natural rubber.

Order no. 4.777-300.0



## Vacuum sweepers and scrubber-driers - 24 V

### Battery

2 pcs required

Order no. 6.654-093.0



### Charger

Built-in charger only for Package models. For battery 6.654-093

Order no. 6.654-094.0



Scrubber driers compact

## BR 40/25 C Bp Pack



---

### Vacuum sweepers and scrubber-driers - 24 V

#### Battery

Maintenance-free traction battery 12 V with fleece technology

Order no. 6.654-264.0

