

## BR 45/40 C Ep (240v mains)

Comfortable, power supplied walk-behind scrubber with roller brushes. With a working width of 450 mm and standard equipment. Economical for areas from 400 to 1.100 m<sup>2</sup>.

### Standard accessories:

- Roller brush
- FACT
- DOSE
- Mains operation
- Tank-in-tank system

Order no.: 1.533-100.0



### Technical data

Working width, brush (mm)	450
Working width, vacuum (mm)	850
Tank fresh/dirt water (l)	40/40
Max. area performance (m <sup>2</sup> /h)	1800
Brush rotation speed (rpm)	1100
Brush contact pressure (g/cm <sup>2</sup> )	220
Frequency Hz	50
Voltage V	230
Motor rating (W)	max. 1580
Weight (kg)	80
Dimensions (L x W x H) (mm)	1155x645x1115
Battery Voltage	-
Battery Capacity	-

## Details

### Description

Time saving: - brush change within seconds, - As an option: sweeping device (sweeping, scrubbing and drying in one pass),

---

### Application

Hygienic: - waste water tank easy to clean,

---

### Features & Benefits

Simple and comfortable: - fresh water tank with filling indicator, - automatic water stop, - lever foldable, - information panel, - single-button (EASY) for short period of introduction, - transport wheel by foot pedal

---

## Accessories

### Microfibre shaft

#### Microfibre roll BR 45/40

World innovation: Application of microfibre rollers combines the excellent cleaning properties of microfibres with the benefits of the roller brush technology. Combined with roller pad shaft 4.762-413.0.

**Order no. 4.114-009.0**



### Miscellaneous

#### Suction hose accessories

For taking in water from corners or containers (e.g. deep freezers). 3.25 m

**Order no. 4.444-015.0**



#### Filling hose

For easy filling from the tab

**Order no. 6.389-524.0**



#### Extension cable

20 meter.

**Order no. 6.647-022.0**



#### Cleaning agent dosage kit, wall mounted DS 3

Directly connectable with the tab, water and detergent will be filled in the fresh water tank in the preset mixture. Can also be used with filling system kit.

**Order no. 2.641-811.0**



## Roller brushes for BR

### Roller brush, medium, 450 mm

Medium, for all floors.

Order no. 4.762-392.0



### Roller brush, soft, 450 mm

Soft, for cleaning sensitive surfaces and for polishing.

Order no. 4.762-405.0



### Roller brush, high-low, 450 mm

Medium hard, for cleaning strong structured floors and deeper joints.

Order no. 4.762-406.0



### Roller brush, hard, 450 mm

Hard (GRIT), for heavy soilings und for deep cleaning; for unsensitive floors only.

Order no. 4.762-407.0



### Roller brush, very hard, 450 mm

Very hard (GRIT), for extremely sticky dirt and for deep cleaning; for unsensitive surfaces only.

Order no. 4.762-408.0



## Roller pad shaft

### Roller pad shaft, 450 mm

450 mm

Order no. 4.762-413.0



## Roller pads, premounted on sleeves

### Roller pads on sleeve, soft, 450 mm

Soft, 96 mm, roller pads on sleeve, for polishing and for spray cleaning of non-structured surfaces. Combined with roller pad shaft 4.762-413.0 Machine requires 2.

Order no. 6.367-105.0



### Roller pads on sleeve, hard, 450 mm

Hard, 96 mm, roller pads on sleeve, for removing the stubborn soilings and for deep cleaning of non-structured surfaces. Combined with roller pad shaft 4.762-413.0. Machine requires 2.

Order no. 6.367-106.0



### Roller pads on sleeve, medium, 450 mm

Medium, 96 mm, pads on sleeve, for cleaning non-structured surfaces. Combined with roller pad shaft 4.762-413.0. Machine requires 2.

Order no. 6.367-107.0



## Squeegees for suction bars

### Rubber lips, oil-resistant

oil resistant, brown

Order no. 6.273-207.0



---

**Squeegees for suction bars**

**Rubber lips, standard**

standard, blue

**Order no. 6.273-213.0**



---

**Rubber lips, non-streak, oil-resistant**

non-streak, oil resistant, brown

**Order no. 6.273-229.0**



---

**Suction bar, complete**

**Squeegee, straight**

Straight, without supporting rolls. Squeegees consist of soft natural rubber.

**Order no. 4.777-306.0**



---

**Squeegee, curved**

Curved, without supporting rolls. Squeegees consist of soft natural rubber.

**Order no. 4.777-316.0**

